



---

accelerates the onset of experimental spinal cord ischemia. The effect of the prostaglandin-endoperoxide analogue U-46619 on spinal cord ischemia was studied in the rat. U-46619 was microinfused intrathecally (i.t.) or epidurally (i.e.) immediately before spinal cord ischemia in 2-cm long infrarenal aortic cross-clamp experiments. Epidural U-46619 (1, 3, or 5 micrograms) exacerbated the onset of ischemia at all lower spinal cord levels assessed (L2-L5). This effect was dose-dependent. Dose-response curves were obtained. In addition, epidural U-46619 also caused a significant increase in spinal cord blood flow as measured by hydrogen clearance in

---

the same experiments. The increase in spinal cord blood flow was smaller and less consistent than that caused by epidural U-46619. Infusion of U-46619 intrathecally was without effects on the onset of ischemia. Spinal cord blood flow was not significantly altered during spinal cord ischemia. Epidural U-46619 reduces the tolerance of the spinal cord to ischemia and may be useful for preventing spinal cord ischemia during surgery on the aorta and its branches.

Q: Why does my click handler on a tag not run when I use "this" inside the function? I have the following html code

```
Name0 Name1 and the following js function: $(document).on("click", "#tabLabel_648931e174
```



---

media 1 crack senhor dos aneis batalha pela terra media 1 crack senhor dos aneis batalha pela terra media 1 crack  
senhor dos aneis